

**AFOSR**  
**Final Technical Report March 31 1999**

**PI Name:** Rae Silver

**Institution:** Barnard College of Columbia University

**Address:** 3009 Broadway,  
New York, New York 10027

**Tel:** 212-854-3930

**FAX:** 212-854-7491

**Email:** QR@Columbia.edu

**Co-PI Name:** Patrick Tresco

**Institution:** University of Utah

**Address:** Department of Bioengineering,  
2480 MEB,  
Salt Lake City, Utah 84112

**Tel:** 801-581-8873

**FAX:** 801-581-8966

**Email:** Patrick.Tresco@m.cc.utah.edu

96

**Grant Number:** F49620-1-0044

# REPORT DOCUMENTATION PAGE

Public reporting burden for this collection of information is estimated to average 1 hour per response, gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden, to Washington Headquarters Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget

AFRL-SR-BL-TR-00-

ita sources,  
pect of this  
5 Jefferson  
03.

0340

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE

3.

31 March 1999

Final - 30 April 1996 - 31 March 1999

4. TITLE AND SUBTITLE

Diffusible Phase-Setting Signals of the Biological Clock

5. FUNDING NUMBERS

F49620-96-1-0044

6. AUTHOR(S)

Dr. Rae Silver

Department of Psychology

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Barnard College

New York, NY 10027-6598

8. PERFORMING ORGANIZATION  
REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

AFOSR/NL

801 North Randolph Street

Arlington, VA 2203-1977

10. SPONSORING/MONITORING  
AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION AVAILABILITY STATEMENT

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

The encapsulation membranes fabricated from solutions containing Poly(acrylonitrilevinylchloride) (PAN-PVC) (85%) and polyethylene oxide (PEO) (15%) were tested for restoration of circadian activity rhythms to animals whose own SCN has been ablated. This work shows that the transplanted SCN, like neural pacemakers of Drosophila and silk moths, can sustain circadian activity rhythms by means of a diffusible signal.

14. SUBJECT TERMS

Circadianrhythms, suprachiasmatic nucleus

15. NUMBER OF PAGES

9

16. PRICE CODE

17. SECURITY CLASSIFICATION  
OF REPORT

Unclass

18. SECURITY CLASSIFICATION  
OF THIS PAGE

Unclass

19. SECURITY CLASSIFICATION  
OF ABSTRACT

Unclass

20. LIMITATION OF  
ABSTRACT

DTIC QUALITY INSPECTED 4

Standard Form 298 (Rev. 2-89) (EG)  
Prescribed by ANSI Std. Z39.18  
Designed using Perform Pro, WHS/DIOR, Oct 94

**I. Research Objectives:** The objectives entail understanding the functional roles of output signals from the SCN (including diffusible factors) in setting circadian phase of activity rhythms. This involves the identification of pacemaker cells of the SCN, outputs from these cells, and targets of these outputs. Details of these objectives and accomplishments are described below.

**2. Status of Effort:** The status of research efforts is indicated below in the context of the objectives.

**Objective 1. To develop a cell transplantation device that physically isolates grafted embryonic neural cells or cellular aggregates.**

This objective has been achieved, and the results are published.

**Objective 2. To establish optimal conditions for encapsulated tissue survival in anatomical studies using *in vivo* and *in vitro* techniques using both primary fetal tissue and immortalized SCN cell lines.**

This objective has been achieved for *in vivo* studies using primary fetal tissue.

**Objective 3. To analyze the functional role in behavioral studies of diffusible factors from encapsulated SCN grafts in setting circadian phase of activity.**

This objective has been achieved, and the results are published.

**Objective 4. To vary membrane pore size so as to determine the approximate molecular weight range of the critical signals.**

This work has been completed. Optimal pore size for copolymer membranes is a statistical feature, with normal distribution. We have shown that these membranes are not the optimal tool for identification of critical pore size of is in progress.

**Objective 5. To determine the function of putative pacemaker cells in the hamster.**

We have discovered a subnucleus, marked by calbindin-D28 (CaBP) positive cells in the core of the hamster SCN. These cells receive light input (Silver et al., 1996). We have shown that ablation of this SCN sub-region abolishes activity rhythms, and that half-SCN transplants that contain these cells restore rhythmicity, while transplants that do not express these cells, do not (J. Neuroscience 1999). In addition, we now have completed data analysis showing a circadian rhythm of nuclear CaBP expression within these cells. This work, taken together, indicates that cells of the calbindin region

are both on the input and output pathway of circadian pacemakers. This data is an important step in the identification of SCN pacemakers, their outputs and their targets.

### **3. Accomplishments/findings**

The encapsulation membranes fabricated from solutions containing Poly(acrylonitrile-vinylchloride) (PAN-PVC) (85%) and polyethylene oxide (PEO) (15%) were tested for restoration of circadian activity rhythms to animals whose own SCN has been ablated. This work shows that the transplanted SCN, like neural pacemakers of *Drosophila* and silk moths, can sustain circadian activity rhythms by means of a diffusible signal. This work was published in *Nature* (see below).

#### **Location of SCN pacemakers.**

Circadian rhythms are fundamental adaptations of organisms to daily periodicities that result from the earth's rotation. In mammals, the anatomical locus of the "biological clock" in the SCN of the brain is well established, and a great deal of interest rests in identifying SCN pacemaker cells, their inputs and outputs. The present proposal focused on the characterization of putative oscillators within the suprachiasmatic nuclei (SCN). It has long been held that SCN neurons are equipotential and that circadian rhythmicity is sustained following ablation, as long as about 25% of the nuclei are spared. Our data present a different view.

We have described a compact subnucleus of calbindin-D28 (CaBP) positive cells in the core of the hamster SCN in which 75% of the cells are fos-positive in response to a light pulse (Silver et al., 1996). This signifies that CaBP cells are on the input pathway to the clock's pacemakers

We have also shown that animals bearing partial lesions of the SCN that spared the subregion delimited by calbindin-d28k (CaBP) cells, sustained circadian locomotor rhythms. Partial lesions that destroy this region but spared other compartments of the SCN resulted in loss of rhythmicity. Next, we have shown that transplants of half SCN punches that contain CaBP cells restore locomotor rhythms in SCN-lesioned host animals, while transplants containing SCN tissue but lacking these cells fail to restore rhythmicity. Taken together, these studies indicate that cells in the region of the CaBP subnucleus of the SCN serve as driving pacemakers for locomotor rhythmicity, and that the SCN is functionally heterogeneous (LeSauter and Silver: *Journal of Neuroscience*, 1999).

Another objective was to identify the afferent and efferent connections of cells in the CaBP subnucleus. To determine which SCN cells project to known SCN targets, we have injected cholera toxin beta subunit, a retrograde tracer, in the preoptic area (POA), the sub-paraventricular zone, the dorsomedial hypothalamic nucleus (DMH), the paraventricular nucleus of the thalamus. Injections in the PVT and DMH label a large number of cells in the CaBP region. Injections in the POA label a few cells in the CaBP region. CaBP cells do not seem to project to the sub-paraventricular zone. Double label immunocytochemistry has been done to identify the cells projecting to these regions. We have identified connections between the CaBP-ir and other cells of the SCN, using epi- and confocal microscopy and staining for CaBP and vasoactive intestinal peptide (VIP), vasopressin (VP), gastrin releasing peptide (GRP), cholecystokinin (CCK), or neuropeptide Y (NPY), and single label electron microscopy for CaBP. The heaviest terminals on CaBP cells were VIP and NPY-positive fibers, with less dense GRP, VP and CCK fibers. Dense CaBP-ir terminals were on virtually all of a population of unknown cells interspersed within the SCN CaBP cells and on GRP cells. Additionally, few terminals are seen on most CCK cells. Most VIP and VP cells within the SCN have no CaBP terminals. A few CaBP terminals are seen on a subset of VP cells lying at the border of the SCN and on VIP cells located within or above the optic tract. Single label electron microscopy reveals synapses among CaBP cells. In summary, connections of the CaBP cells of the SCN are highly topographically organized. This work will be presented at the Society for Neuroscience Meeting 1999, and prepared for publication.

#### **4. Personnel supported**

Dr. Rae Silver: PI  
113-42-0713

Dr. Joseph LeSauter: Research associate  
128-62-4431

#### **(Tresco Lab)**

Dr. Patrick Tresco: Co-PI  
180-48-8420

Graduate Students:  
Mary Melissa Mulder

553-61-4360

Robert E. Hitchcock  
041-56-4518

Undergraduate research assistants:  
Dhiren S. Dave  
528-43-9455

Alex Monti  
529-194584

## 5. Publications

- Silver, R., J. LeSauter, P. Tresco, and M.N. Lehman and (1996). A diffusible coupling signal from the transplanted suprachiasmatic nucleus controlling circadian locomotor rhythms. *Nature* 382: 810-813.
- Silver, R., M-T. Romero, H.R. Besmer, R. Leak, J.M. Nunez and J. LeSauter (1996). Calbindin-D28k cells in the hamster SCN express light-induced Fos. *NeuroReport* 7: 1224-1228.
- LeSauter J., Lehman, M.N. and Silver, R. (1996). Restoration of circadian locomotor rhythms by transplants of SCN "micropunches" *J. Biol. Rhythms* 11: 163-171.
- LeSauter, J., Romero, P., Cascio, M. and Silver, R. (1997). Attachment site of grafted SCN influences precision of restored circadian rhythm. *J. Biol. Rhythms* 12: 327-338.
- Silver, R., LeSauter, J., and Lehman, M.N. (*in press*) Contributions of SCN transplant studies to understanding the biological clock. In: *Evolution of Circadian Clock* (Eds. T. Hiroshige & K. Honma). Hokkaido U. Press, Sapporo.
- Silver R. and R.Y. Moore. The suprachiasmatic nucleus and circadian function: an introduction. *Chronobiol Int.* 15: vii-x, 1998
- LeSauter J. and R. Silver. Output signals of the SCN. *Chronobiol. Int.* 15: 535-550, 1998
- Moore R.Y. and R. Silver. Suprachiasmatic nucleus organization. *Chronobiol. Int.* 15: 475-487, 1998
- Lehman, M., LeSauter, J. and Silver, R. Fiber outgrowth from anterior hypothalamic and cortical xenografts in the third ventricle. *J. Comp. Neurol.* 391: 133-145, 1998.
- LeSauter, J. and Silver, R. Biological rhythms. *Comparative Psychology : A Handbook* (Eds. G. Greenberg & M. Haraway). Garland Publishers, NY. 1998.
- LeSauter, J. and R. Silver. Localization of an SCN subnucleus regulating locomotor rhythmicity. *J. Neurosci.* In press.

## **6. Interactions/Transitions:**

### **a. Participation/presentations at meetings, conferences, seminars**

**10/01/1996 - 3/31/1999**

Silver, R., and J. LeSauter (1996). Parallels between CaBP-ir cells and behavioral phase shifts. Society for Neuroscience Abstract, 22, 2055.

LeSauter J. and R. Silver (1996). Attachment site of grafted SCN influences precision of restored circadian rhythm. Society for Neuroscience Abstract, 22, 2053.

Bryant, D.N., LeSauter, J, Silver, R, Romero, M-T. (1996) Retinal synapses on calbindin-ir cells of the hamster suprachiasmatic nucleus. Society for Neuroscience Abstract, 22:1140.

R. Silver Gordon Conference, August 11-15, 1997, New Hampshire

Silver R., LeSauter J., Bryant, D.N., and Romero, M-T. Connections of calbindin cells of the hamster SCN. Soc. Neurosci. Abstr. 25, 1999.

LeSauter J., Leak R.K., Silver R and Moore R.Y. Hamster suprachiasmatic nucleus: chemoarchitecture and topography of projections. Soc. Neurosci. Abstr. 25, 1999.

LeSauter J., and Silver R. Ontogeny of calbindin-D28K, substance P, and gastrin releasing peptide-positive cells in the core of the hamster SCN. Soc. Neurosci. Abstr. 23, 198.7, 1997.

Silver R., Lehman M.N. and LeSauter J. Use of neurofilaments markers for labelling fiber outgrowth from SCN xenografts. Soc Neurosci Abstr. 23: 522.3, 1997.

### **b. Consultation at other labs: (Patrick Tresco)**

SmithKline Beecham Pharmaceuticals  
Cytotherapeutics, Inc.  
Becton Dickinson  
Ciba Vision

### **c. Transitions: (Patrick Tresco)**

Cell Encapsulation membrane technology

Development of novel drug delivery technology

**7. New Discoveries, inventions, patents: None**

**8. Honors/Awards: (Rae Silver)**

**Editorial Board**

Journal of Comparative Psychology 1985-1989

Journal for Research in Biological Rhythms-1995-1999

Hormones and Behavior 1996-2000

**Service to the Scientific Community**

President-Elect: Society for Research in Biological Rhythms (term 2000-2002)

Program Chair: International Conference on Chronobiology, D.C. August 1999.

Co-Chair: NSF-NIH conference on brain-Immune interactions: 1996

Committee of visitors for the Neuroscience Cluster NSF  
June 1995.

Chair: External Advisory Committee, NSF Center for the Study of Biological  
Rhythms, University of Virginia, 1991-2002.

Panel Member, NSF, Undergraduate Education and Instrumentation.  
1995

Panel Member, NIMH Psychobiology, Behavior, and Neurosciences,  
1994-1996.

Panel Member, NIMH Behavioral Neurosciences  
1993-1994.

Panel Member, Sensory & Integrative Systems, NSF,  
1987-1989.

Panel Member, Psychobiology, NSF,  
1986-1987.

Panel Member, Neuropsychology Panel, NIMH,  
1979-1983.

Society for Behavioral Neuroendocrinology, Advisory Board Member 1996-

Program Chair, American Psychological Association  
1994

Member-at-Large, American Psychological Association  
1994-1997

Member-at-Large: Society for Research in Biological Rhythms,  
1994-1996.



Member, Advisory Committee, Society for Research in Biological Rhythms, 1992-1994.

Rapporteur, American Physiological Society, Conference on "Understanding the Biological Clock - from Genetics to Physiology", 1995.

Advisory Committee Member, International Ornithological Society, 1993-1997.

American Ornithological Union, Elective Member, 1994

Member, Search Committee: Director of the Institute of Animal Behavior-Rutgers University, 1989.

Society for Chronobiology, Member at Large 1996

**AFOSR**  
**Final Invention Report March 31 1999**

**PI Name:**     Rae Silver

**There were no inventions or patents resulting from this research.**